

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	709/223,224,225,226,230,238.ccls. and 370/254,260,261.ccls. and 379/201.01,202.01,207.02.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:27
L2	3502	(709/223).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/14 09:25
L3	14413	709/223,224,225,226,230,238.ccls. OR 370/254,260,261.ccls. OR 379/201.01,202.01,207.02.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:27
L4	606	3 and ((activat\$5 trigger\$5 actuat\$5) same button)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:50
L5	1	4 and ((RSvp predevined) same (resource\$1 path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:34
L6	0	4 and (activat45 near3 (predefined predetermined preselected) near3 (path route))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:35
L7	0	4 and (activat\$5 near3 (predefined predetermined preselected) near3 (path route))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:36
L8	5	4 and (activat\$5 same (predefined predetermined preselected) same (path route))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:46
L9	0	4 and (push with to with talk) and RSVP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:47
L10	0	4 and (push with talk) and RSVP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:48
L11	0	4 and (push with button) and RSVP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:48

L12	2	4 and (push press) and RSVP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:49
L13	5	3 and ((activat\$5 trigger\$5 actuat\$5) same button) and RSVP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/14 09:50
S1	14	(URL "INTERNET ADDRESS" "DOMAIN NAME") WITH ERROR WITH CORRECTION	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 12:26
S2	39407	((previously pre) adj3 connection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 15:31
S3	278	S2 and ("h.323" SIP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 15:31
S4	119	S3 and ((select\$4 activat\$4) with (connection path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 15:43
S5	38	S3 and ((select\$4 activat\$4) near3 (connection path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 15:39
S6	62	S3 and ((select\$4 activat\$4) with (connection path)) and dial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 15:45
S7	0	S6 and (viop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 15:45
S8	42	S6 and (voice and IP)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 15:54
S9	0	(voice near2 IP) with predefined with (path connection route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 15:55

S10	0	(voice with IP) with predefined with (path connection route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 15:55
S11	0	(voice with IP) with prestablished with (path connection route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 15:56
S12	1	(voice with IP) with (pre adj established) with (path connection route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 16:05
S13	0	(voice with IP) with (pre adj selected) with (path connection route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 16:06
S14	0	(voice with IP) with (pre adj defined) with (path connection route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 16:06
S15	0	(voice with IP) same (pre adj defined) with (path connection route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 16:06
S16	37	(voice with IP) and (pre adj defined) with (path connection route)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/09 16:06
S17	0	2003/0187926.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:39
S18	0	"204015".rean.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:38
S19	2	"20030187926".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:44
S20	1	"20002770"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:52

S21	0	rsvp with on adj demand	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:56
S22	0	rsvp with (on adj demand)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:56
S23	0	(use connect transmit\$4) with (predefined predetermined) with route with (on adj demand)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 17:57